

NEW

Power Generation Wheel *BALYFLY*

Power wheel set is generated by running wheel, providing power to headlights, turn signals and tail lights, this new design can improve endurance.





MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 35300	Aluminum 2pieces		6000VV*28	TT/PU	7*1¼	C179	7"

BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 35300	Aluminum 2pieces	φ17*38*15		TT/PU	200*50	C968	8"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 35300	Aluminum 2pieces		6000VV*28	TT/PU	200*50	C179	8"

•TYPE: TT-Tube type TL-Tubeless PU-Solid PU



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSH/40450	External:Aluminum Internal:Steel			TT	2.50/ 2.00-4		8"



BALYFLY



2ALB

2ALH-56.5

2ALH-50

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/40480	Aluminum 2pieces	φ19.05*50*16		TT/PU	2.80/2.50-4	C178	9"
2ALH/40480	Aluminum 2pieces		6001VV*50	TT/PU	2.80/2.50-4	C178	9"
2ALH/40480	Aluminum 2pieces		6200VV*56.5	TT/PU	2.80/2.50-4	C179	9"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSH/40550	External:Aluminum Internal:Steel		6001VV*50	TT	2.80/2.50-4	G997	9"
ALSB/40550	External:Aluminum Internal:Steel	φ15*29*14.76		TT	2.80/2.50-4	G997	9"
2ALH/40550	Aluminum 2pieces		6201VV*38.5	TT	2.80/2.50-4	G997	9"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSH/40450	External:Aluminum Internal:Steel			TT	2.50/ 2.00-4		8"



BALYFLY




2ALB

2ALH-56.5

2ALH-50

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/40480	Aluminum 2pieces	19.05*50*16		TT/PU	2.80/2.50-4	C178	9"
2ALH/40480	Aluminum 2pieces		6001VV*50	TT/PU	2.80/2.50-4	C178	9"
2ALH/40480	Aluminum 2pieces		6200VV*56.5	TT/PU	2.80/2.50-4	C179	9"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSH/40550	External:Aluminum Internal:Steel		6001VV*50	TT	2.80/2.50-4	G997	9"
ALSB/40550	External:Aluminum Internal:Steel	φ15*29*14.76		TT	2.80/2.50-4	G997	9"
2ALH/40550	Aluminum 2pieces		6201VV*38.5	TT	2.80/2.50-4	G997	9"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

5"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 50620	Aluminum 2pieces			TT/TL	90/70-5	G988	10"



BALYFLY



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 50620	Aluminum 2pieces		6002ZZ*38	TT/TL	4.10/3.50-5	GM905	12"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSH/ 50620	External:Aluminum Internal:Steel		6002ZZ*38	TT/TL	4.10/3.50-5	C168	12"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

5"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 50620	Aluminum 2pieces	φ17*38*15		TT/TL	4.00-5	GM905	12.5"

BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSB/ 50620	External:Aluminum Internal:Steel		φ20*47*16	TT	4.00-5	C154	12.5"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

6"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/60620	Aluminum 2pieces	φ17*70.5*15		TT/TL	4.10/3.50-6	C168	12.5"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSB/60620	External:Aluminum Internal:Steel			TT	3.50/3.25-6	G988	12.5"

BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/60620	Aluminum 2pieces			TT/TL	3.50-6	T996	12.5"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALSB/60850	External:Aluminum Internal:Steel	φ19φ19.05*50.8*14.76		TT	13*5.00-6	K358	12.5"
ALSH/60850	External:Aluminum Internal:Steel		6003ZZ*57	TT	13*5.00-6	K358	12.5"

•TYPE: TT-Tube type TL-Tubeless PU-Solid PU



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 60850	Aluminum 2pieces		6202ZZ*57	TL	13*5.00-6	K500	12.5"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 60850	Aluminum 2pieces		6002ZZ*78	TT/TL	13*500-6	K358	12.5"



BALYFLY



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 60850	Aluminum 2pieces	19.05*50.8*4.76		TT/TL	13*5.00-6	K358	12.5"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 60110	Aluminum 2pieces	19.05*50.8*4.76		TT/TL	15*6.00-6	C165	14"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

9"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 90800	Aluminum 2pieces	19.05*51*14.76		TL	100/65-9	G999	14"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 90800	Aluminum 2pieces		6003ZZ*70.5	TL	100/65-9	G999	14"



BALYFLY



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 90800	Aluminum 2pieces	φ20*45*15		TL	100/85-9	G999	16"

•TYPE: TT-Tube type TL-Tubeless PU-Solid PU



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALH/ 80300	Aluminum 1pieces			TT/PU	12½*2¼	C628	12.5"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALBS/ 80300	Aluminum 2pieces	19.08*38*15 S		TT/PU	12½*2¼	C628	12.5"



BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALBS/ 80350	Aluminum 2pieces	19.08*38*15 S		TT	2.50-8	C177	13"

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/ 80630	Aluminum 2pieces			TT/TL	100/60-8	G999	13"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

8"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALBS/ 80630	Aluminum 2 pieces			TT/TL	100/75-8	G999	14"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
ALS/ 80550	External:Aluminum Internal:Steel			TT/PU	3.00-8	C248	14"

BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALBS/ 80650	Aluminum 2 pieces	φ19.05*51*16 S		TT	3.50-8	C161	15"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
AL/ 80140	steel 1piece			TL	16*6.50-8		15.5"

•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

6"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/60110	Aluminum 2pieces		6003ZZ*55	TT/TL	15*6.00-6	K500	14"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALH/60110	Aluminum 2pieces			TT/TL	110/90-6	G988	14"

BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/60850	Aluminum 2pieces	φ19.05*50.8*14.76		TT/TL	145/70-6	C829	15"
2ALH/60850	Aluminum 2pieces		6003ZZ*57	TT/TL	145/70-6	C829	15"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU

10"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
AL/ 10250	Aluminum 1pieces			TL	3.00-10	C936	16"



MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 100780	Aluminum 2pieces			TT/TL	3.00-10	GM905	16"

BALYFLY

MODEL NO	HUB TYPE			TIRE			
	MATERIAL	KEY WAY(MM)	BEARING(MM)	TYPE	SIZE	PATTERN	TOTAL HEIGHT(INCH)
2ALB/ 100780	Aluminum 2pieces			TL	3.50-10	R1081	17"



•TYPE: TT-Tube type TL-Tubeless PU-Solid PU